

Quality Control Certificate

Product: EVOLUTION Alox Column

Product No.: 20087 **Lot No.: 719978**

Storage Recommendations: Store the column at room temperature below 25°C

Description: The EVOLUTION Alumina Column is part of a 3-column setup used for the sample

polychlorinated dibenzofurans (PCDF) and polychlorinated biphenyl (PCB)

congeners.

Quality Control Release Inspection and Test Specification

Test Procedure: A solvent blank, spiked with quantification standard has been cleaned on a

DEXTech Plus system, spiked with recovery standard, evaporated with the D-EVA and has been quantified with a HRGC/HRMS DFS from Thermo Fisher Scientific at a

resolution of R > 10000.

Results Blank Value: PCDD/F-TEQ: 0,19 pg/column

(crit: < 0,7 pg/column)

dl-PCB-TEQ: 0,0112 pg/column

(crit: < 0,05 pg/column)

Sum Total PCB: 12 pg/column

(crit: < 300 pg/column)

Results Recoveries: PCDD/F 82 to 101 % (crit: 70 to 120 %)

PCB 86 to 108 % (crit: 70 to 120 %)

This is to certify that the EVOLUTION Alox Column, Lot 719978, passed the required test specifications and is released for sale.

date: 22.03.2024 sign.:

The company LCTech GmbH is certified according to ISO 9001





QC-Certificate - 20087 - 719978

Hazards: NOT FOR HUMAN OR DRUG USE!

The Alumina Column is designed and prepared for usage with the Universal/standard & Smart Column and Carbon Column from LCTech and for laboratory use only. This product should only be used by qualified personnel familiar with its potential hazards and trained in the handling of hazardous chemicals. Due care should be exercised to prevent unnecessary human contact or ingestion, all procedures should be carried out with suitable gloves, eye protection, and clothing should be worn at all times. Waste should be disposed according to national and

Quality Control: All ingredients are traceable to certified lots of our supplier. In addition, any

ingredient with a new lot will be checked on contamination and efficiency before releasing for production. Monitoring the ongoing production, several columns are chosen at random day for analysis to check on contamination

and efficiency.

regional regulations.

Quality Management: This product was produced using a Quality Management System registered to the

ISO 9001:2015 (DEKRA)

Documentation / table 1 & 2: blankvalues of PCDD/F and PCB
Data Attached: table 3 & 4: 13C-Recoveries of PCDD/F and PCB

Analytics This is to certify that the EVOLUTION Alumina Column, Lot , passed the

required test specifications and is released for sale.

Remarks n/a





QC-Certificate - 20087 - 719978

Results:

Lockmass check: No significant disturbances, or indicators for contaminations are detected.

Blanks: n=6

Table 1: PCDD/F blank

		[pg/column]
	2,3,7,8-TCDF	<0,036
	1,2,3,7,8-PeCDF	0,1
	2,3,4,7,8-PeCDF	0,11
٦	1,2,3,4,7,8-HxCDF	0,033
μn	1,2,3,6,7,8-HxCDF	<0,018
<u> </u>	2,3,4,6,7,8-HxCDF	<0,045
/gd]	1,2,3,7,8,9-HxCDF	0,05
	1,2,3,4,6,7,8-HpCDF	0,08
unt	1,2,3,4,7,8,9-HpCDF	0,05
amol	1,2,3,4,6,7,8,9-OCDF	<0,054
a	2,3,7,8-TCDD	0,07
ole	1,2,3,7,8-PeCDD	<0,054
sample	1,2,3,4,7,8-HxCDD	0,05
Sa	1,2,3,6,7,8-HxCDD	<0,108
	1,2,3,7,8,9-HxCDD	<0,027
	1,2,3,4,6,7,8-HpCDD	0,12
	1,2,3,4,6,7,8,9-OCDD	0,41

PCDD/F TEQ (2005)	[pg/column]	
lower bound		0,19
upper bound		0,19

Table 2: PCB blank

		[pg/column]
	PCB-#28	3,72
	PCB-#52	5,88
	PCB-#101	1,56
	PCB-#153	0,65
<u>[e]</u>	PCB-#138	0,22
ш	PCB-#180	<dl< td=""></dl<>
/sa	PCB-#81	0,04
bg	PCB-#77	0,233
]t	PCB-#126	0,0751
sample amount [pg/sample]	PCB-#169	0,122
am	PCB-#123	<dl< td=""></dl<>
<u><u>0</u></u>	PCB-#118	0,02
g.	PCB-#114	<dl< td=""></dl<>
sa	PCB-#105	<dl< td=""></dl<>
	PCB-#167	<0,0027
	PCB-#156	<0,027
	PCB-#157	0,01
	PCB-#189	0,004

PCB-TEQ	[pg/column]
lower bound	0,0112
upper bound	0,0112
Sum DIN	12





QC-Certificate - 20087 - 719978

Table 3: PCDD/F recoveries

		[%]	RSD [%]
	2,3,7,8-TCDF	85	8
	1,2,3,7,8-PeCDF	87	10
	2,3,4,7,8-PeCDF	84	10
%	1,2,3,4,7,8-HxCDF	90	8
s	1,2,3,6,7,8-HxCDF	99	8
rie	2,3,4,6,7,8-HxCDF	97	10
Ve	1,2,3,7,8,9-HxCDF	96	10
Recoveries [%]	1,2,3,4,6,7,8-HpCDF	99	9
<u>~</u>	1,2,3,4,7,8,9-HpCDF	101	5
၁ဗ္ဗ	1,2,3,4,6,7,8,9-OCDF	97	10
-	2,3,7,8-TCDD	82	6
5	1,2,3,7,8-PeCDD	87	9
PCDD/F 13C	1,2,3,4,7,8-HxCDD	95	8
<u> </u>	1,2,3,6,7,8-HxCDD	83	8
	1,2,3,7,8,9-HxCDD	100	9
	1,2,3,4,6,7,8-HpCDD	94	10
	1,2,3,4,6,7,8,9-OCDD	93	12

Table 4: PCB recoveries

		[%]	RSD [%]
	PCB-#28	108	7
	PCB-#52	104	13
	PCB-#101	97	5
	PCB-#153	98	2
5	PCB-#138	94	5
<u>~</u>	PCB-#180	89	4
ies	PCB-#81	94	0
Ve.	PCB-#77	94	0
PCB 13C Recoveries [%]	PCB-#126	93	0
	PCB-#169	86	0
	PCB-#123	95	2
	PCB-#118	95	4
	PCB-#114	93	4
	PCB-#105	92	4
	PCB-#167	97	9
	PCB-#156	95	5
	PCB-#157	97	3
	PCB-#189	93	4

